CONTENTS OF VOLUME 71, 1985

Fascicle 1

1 Basolo F., Fontanini G., Squartini F.: Morphology and progression of preneoplastic changes in methylcholanthrene-induced mouse mammary tumorigenesis

13 Franzin G., Musola R., Zamboni G., Manfrini C.: Gastritis cystica polyposa: a possible precancerous lesion

19 Resta L., Santangelo A., Caruso G., Buonomo C.: Local morphologic changes related to laryngeal carcinoma

25 Buratti E., Cefis F., Masserini M., Goisis F., Vergadoro F., Bolis G.: The value of endometrial cytology in a high risk population

29 Basso-Ricci S., Bartoli C.: Cutaneous carcinomas and soft tissue sarcomas induced by ionizing radiation therapy. Presentation of a series of 42 cases

35 Romano M., Cecco L., Cerra M., Pasquinelli R., Pagnano A.M., Paladini A.: Polyamines and nucleic acids in gestational trophoblastic tumors

39 Crone-Escanye M.C., Anghileri L.J., Robert J.: Enhancement of hematoporphyrin derivative uptake in vitro and in vivo by tumor cells in the presence of lanthanum

45 Liberati A.M., Puxeddu A., Biscottini B., Allegra A., Pennacchi M., Bertoni P., Pecci A., Ballatori E., Grignani F.: Preliminary observation on the clinical tolerance of interferon-beta in cancer patients

51 Conte N., Di Virgilio R., Roiter I., Caberlotto L.: Hypercalcemia in malignancies: treatment with dichloromethylene diphosphonate (Cl_2MDP)

55 Leone B., Rabinovich M., Ferrari C.R., Boyer J., Rosso H., Strauss E.: Cardiotoxicity as a result of 5-fluorouracil therapy

59 Piotti P., Villani F., Comazzi R., Lacaita G., Guindani A.: Cardiac function evaluation in AMSA-treated patients

63 Demicheli R., Bonciarelli G., Jirillo A., Foroni R., Petrosino L., Targa L., Garusi G.: Pharmacologic data and technical feasibility of intraperitoneal doxorubicin administration

69 Traversi E., Riccardi A., Montecucco C., Mazzini G., Giordano P.: Cytokinetic studies in acute leukemia during early induction therapy

75 Buffoli A., Feroldi P., Mabellini M., Morabito A., Tordiglione M.: Multifactorial analysis of NOC lung carcinoma radiotherapy

81 Danova M., Riccardi A., Girino M., Ucci G., Vadalà G.: Severe pericarditis as a presenting sign of bronchogenic carcinoma

85 Bandieramonte G., Giardini R., Bono A.: Primary non-Hodgkin lymphoma of the parotid gland associated with Sjögren's syndrome: a case report

89 Delbello A., Sandri P., Mustacchi G.: Palliative cryosurgery for oral cavity malignant melanoma: a case report

Fascicle 2

91 Colombo M.P., Rodolfo M., Parmiani G.: Genetic unresponsiveness to a murine fibrosarcoma determined by the host genetic environment but not by lymphocyte precursor genotype

97 Albini A., Allavena G., Parodi S., Santi L.: Comparison of the chemotactic response to conditioned medium of BALB/c3T3 fibroblasts and their SV 40 transformants

101 Geddes M., Osmond C., Barchielli A., Buiatti E.: Analysis of trends in cancer mortality in Italy 1951-1978; the effects of age, period of birth, and period of death

111 La Vecchia C., Decarli A.: Trends in childhood cancer mortality in Italy, 1955-78

119 Barletta C., Castello M.A., Ferrante E., Mavelli I., Clerico A., Ciriolo M.R., Vignetti P.: 11p13 deletion and reduced RBC catalase in a patient with aniridia, glaucoma and bilateral Wilms' tumor

123 Parazzini F., La Vecchia C., Franceschi S., Pampallona S., Decarli A., Mangili G., Belloni C.: ABO blood-groups and the risk of gestational trophoblastic disease

127 Salvagno L., Ferrazzi E., Chiarion Sileni V., Maggi S., Tredese F., Bedendo C., Russo M.P., Fiorentino M.V., Ceriotti G.: Lipid bound sialic acid in cancer patients

135 Biagioni S., Stella F., Mannello F., Cerroni L., Stella C., Troccoli R.: α_1-Antitrypsin, transferrin, alkaline phosphatase, phosphohexoseisomerase and γ-glutamyltransferase in breast cyst fluid

141 Svanholm H., Paulsen S.: Immunohistochemical and electron microscopic study of twelve adenomatoid tumors

147 Muretto P., Lemma E., Grianti C., Staccioli M.P., Fabbretti G., Sbarbati A.: Inflammatory malignant fibrous histiocytoma of the kidney: an immunohistochemical and ultrastructural study

155 Rizzoli V., Mangoni L., Caramatti C., Degliantoni G., Costi D.: High-dose methotrexate-leucovorin rescue therapy: selected application in non-Hodgkin's lymphoma

159 Kolarić K., Vukas D., Roth A., Potrebica V., Cervek J., Cerar O.: Cyclophosphamide, adriamycin and platinum (CAP) combination chemotherapy, a new effective approach in the treatment of disseminated breast cancer. Preliminary report

167 La Vecchia C., Parazzini F., Franceschi S., Decarli A.: Risk factors for benign breast disease and their relation with breast cancer risk. Pooled information from epidemiologic studies

179 Di Pietro S., Fariselli G., Bandieramonte G., Coopmans de Yoldi G., Guzzon A., Viganotti G., Pilotti S.: Systematic use of the clinical-mammographic-cytologic triplet for the early diagnosis of mammary carcinoma

187 Viola P., Carnovali M., Marcangeli M., Martignoni G., Montoli A., Panozzo M., Pavia G., Confalonieri C.: Follow-up after mastectomy for breast cancer. Observations in 96 patients

193 Merlano M., Conte P., Scarsi P., Tatarek R., Barbieri A., Santelli A., Scarpati D., De Angelis P.: Non-functioning parathyroid carcinoma: a case report

197 Audisio R.A., La Monica G.: Solitary pancreatic metastasis occurring 20 years after nephrectomy for carcinoma of the kidney

Fascicle 3

201 La Vecchia C., Decarli A.: Trends in cancer mortality in Italy, 1955-1978

219 Almasio P., Chiappa L., Duca P., Turolla E.: Discovering asymptomatic non-precancerous lesions with cervical cytologic mass-screening campaigns: Is it a benefit or a cost?

225 Clemente C.: Immunohistochemical reactivity of the antimelanoma monoclonal antibody MEL-1

233 Ganzina F., Di Pietro N., Magni O.: Clinical toxicity of 4'-epidoxorubicin (epirubicin)

241 Llesuy S.F., Milei J., Molina H., Boveris A., Milei S.: Comparison of lipid peroxidation and myocardial damage induced by adriamycin and 4'-epi-adriamycin in mice

251 Freitas I.: Role of hypoxia in photodynamic therapy of tumors

261 Chitnis M., Menon R., Adwankar M., Satyamoorthy K.: Inhibition of macromolecular synthesis in P388 mouse leukemia ascites cells by bouvardin (NSC 259968)

267 Hild P., de Toma G., Schwemmle K., Pfannkuch F., Beisbarth H.: Perfluorocarbone (FDA 20) and extracorporeal circuit of isolated extremity perfusion

271 Vaglini M., Andreola S., Attili A., Belli F., Marolda R., Nava M., Prada A., Santinami M., Cascinelli N.: Limb-salvage procedure in two patients with spindle cell carcinoma of the lower extremities using isolation perfusion

277 Modini C., Ziparo V., Cicconetti F., Cristiani R., Caterino S., Tirindelli-Danesi D., Aschelter A.M., Stipa S.: Role of delayed cutaneous hypersensitivity reaction in classifying patients with bronchial carcinoma

283 Brusamolino E., Magrini U., Castelli G., Pagnucco G., Isernia P., Lazzarino M., Bernasconi C.: Immunoblastic lymphoma: A clinico-pathologic study with emphasis on the cases intervening during or following other disorders

293 El-Aaser A.A., El-Merzabani M.M., Abu-Bedair F.A.: Serum estrogen level in Egyptian breast cancer patients

297 Pronzato P., Ardizzoni A., Lionetto R., Conte P., Rosso R.: Aminoglutethimide as second-line endocrine treatment in metastatic breast cancer

301 Cozzi G., Balzarini L., Bellomi M., Castoldi M.C., Pizzetti P., Zambetti M., Severini A.: Accuracy of the double contrast enema in evaluation of the abdominal diffusion of ovarian carcinoma

305 D'Arrigo A., Lazzari G., Fornari G., Vineis C., Costalaia L., Ajmone F.: Hodgkin's disease developing in a patient with angioimmunoblastic lymphadenopathy with dysproteinemia - A case report

311 Baldi F.: Leiomyosarcoma of the small bowel

Fascicle 4

317 Anklesaria P.N., Advani S.H., Bhisey A.N.: Studies on granulocyte functions in patients with chronic myeloid leukemia

325 Ciatto S., Rosselli Del Turco M., Pacini P., Mustacchi G., Simonis M., Sismondi P., Giardina G., Belsanti V., Aristei C., Molino A.M., Capelli M.C., Azzini V., Di Costanzo F., Buzzi F., Murgo R., Punzo C., Gosso P., Locatelli E.: Early detection of breast cancer recurrences through periodic follw-up - Is it useless?

331 Santini D., Bazzocchi F., Pileri S., Govoni E., Taffurelli M., Grassigli A., Marrano D., Martinelli G.: Mammary carcinoma with argyrophilic cells: An immunohistochemical and ultrastructural study

339 Ciatto S., Pacini P., Bravetti P., Cataliotti L., Cardona G., Crescioli R., Pupi A.: Staging breast cancer - Screening for occult metastases

345 Bacci G., Jaffe N., Emiliani E., Capanna R., Calderoni P., Picci P., Bertoni F., Gherlinzoni F., Campanacci M.: Staging, therapy and prognosis of primary non-Hodgkin's lymphoma of bone and a comparison of results with localized Ewing's sarcoma: Ten years experience at the Istituto Ortopedico Rizzoli

355 Vaglini M., Andreola S., Attili A., Belli F., Marolda R., Nava M., Prada A., Santinami M., Cascinelli N.: Hyperthermic antiblastic perfusion in the treatment of cancer of the extremities

361 Resta L., Micheau C., Cimmino A.: Prognostic value of the prelaryngeal node in laryngeal and hypopharyngeal carcinoma

367 Merlano M., Grimaldi A., Bonelli L., Tatarek R., Rosso R.: Failure of second-line therapy to modify survival in relapsed squamous cell carcinoma of the head and neck

371 Tomirotti M., Lombardi F., Biasioli R., Riundi R., Scanni A.: Combination of mitomycin C + etoposide in advanced gastric carcinoma

375 Civalleri D., Scopinaro G., Simoni G., Claudiani F., Repetto M., De Cian F.: Intrahepatic arterial flow distribution after ligation of a right replaced hepatic artery. A case report

379 Ceccamea A., Cozzi F., Farragiana T., Boscherini B., Pierro A.: Feminizing Sertoli cell tumor associated with Peutz-Jeghers syndrome (Histologic and ultrastructural study)

387 Muretto P., Raspugli P.: « Angioblastic » adamantinoma of the tibia. An immunohistochemical study

391 Casentini L., Visonà A., Colombo F., Stracca Pansa V., Pozza F., Benedetti A.: Osteogenic osteosarcoma of the calvaria following radiotherapy for cerebellar astrocytoma: Report of a case in childhood

397 Fassina A.S., Scapinello A., Pelizzo M.R., Dall'Orto P., Viale G., Maffei Faccioli A., Ninfo V.: Medullary thyroid carcinoma in multiple endocrine neoplasm type II syndromes

403 Paterlini P., Venturoni L., Cretara G., Ricciotti M., Quaglino D.: Bone marrow necrosis: An unusual presenting feature of small cell lung carcinoma

Fascicle 5

407 Sica V., Pulcini D., Masi C., Pagnotta R., Biondi I., Masucci M.T.: Polycyclic aromatic hydrocarbon binding macromolecules. Identification, characterization and temperature activation of a 4.5 S binding nucleoprotein

419 Ramboldi E., Larizza L., Doneda L., Barlati S.: Fibronectin, laminin in hybrids of Rous sarcoma virus transformed and normal mouse fibroblasts

425 Zauli D., Crespi C., Mancini A.F., Zerbini M., Bianchi F.B., Pisi E.: Relationship between smooth muscle and cytoskeleton antibodies in neuroblastoma

431 Verdecchia A., Capocaccia R., Mazzoni C.: Estimation of cancer morbidity using mortality data

441 La Vecchia C., Decarli A.: Correlations between cancer mortality rates from various Italian regions

449 Ventafridda V., Tamburini M., Selmi S., Valera L., De Conno F.: The importance of a home care program for patients with advanced cancer pain

455 Roila F., Minotti V., Ballatori E., Basurto C., Tonato M.: Evaluation of the antiemetic activity of bromopride in cancer patients treated with i.v. CMF

459 Campora E., Chiara S., Bruzzi P., Scarsi P., Rosso R.: The antiemetic efficacy of methylprednisolone compared with metoclopramide in outpatients receiving adjuvant CMF chemotherapy for breast cancer: a randomized trial

463 Carulli G., Clerico A., Marini A., Del Chicca M.G., Vanacore R., Azzarà A., Grassi B., Ambrogi F.: Modifications in the concentrations of circulating myoglobin after treatment with low doses of adriamycin

469 Crippa F., Villani F., Bombardieri E., Buraggi G.L.: Adriamycin and epirubicin treatment monitored by radionuclide ejection fraction during therapy and follow-up

477 Gion M., Mione R., Dittadi R., Griggio L., Munegato G., Valsecchi M., Del Maschio O., Fasan S., Bruscagnin G.: Estrogen and progesterone receptors in breast carcinoma and in nonmalignant breast tissue

483 Ceci G., Passalacqua R., Bisagni G., Bella M., Cocconi G.: Aminoglutethimide in advanced breast cancer

491 Liberati A., Confalonieri C., Martino G., Talamini R., Tamburini M., Viola P., Tognoni G.: Patients' assessment of quality of care: a survey of a group of breast cancer patients in Italy

499 Crivellari D., Veronesi A., Magri M.D., Tirelli U., Comoretto R., Barzan L., Caruso G., Carbone A., Grigoletto E.: Phase II trial of oral VP 16-213 (etoposide) in patients with advanced head and neck cancer

501 Casadei G.P., Gambacorta M.: A clinicopathological study of seven cases of primary high-grade malignant non-Hodgkin's lymphoma of the central nervous system

509 Shah-Reddy I., Subramanian L., Narang S.: Myelofibrosis and true histiocytic lymphoma

513 Bonacina E., Barbano P.R., Barberis M., Rossi M.V.: Primary adenocarcinoma of terminal ileum with clinical and gross morphologic features simulating Crohn's disease. A case report

Fascicle 6

519 Decarli A., La Vecchia C.: Cancer mortality in Italy, 1979

529 Basso D., Fabris C., Meani A., Del Favero G., Panucci A., Vianello D., Piccoli A., Naccarato R.: Serum deoxyribonuclease and ribonuclease in pancreatic cancer and chronic pancreatitis

533 Salvagno L., Paccagnella A., Chiarion Sileni V., De Besi P., Frizzarin M., Casara D., Fiorentino M.V.: Vindesine in plasma cell tumors

537 Gawande S.R., Gopal R., Advani S.H., Sirsat S.M.: Ultrastructural localization of 5'Nucleotidase in human normal and malignant lymphoid cells

543 Cavanna L., Di Stasi M., Fornari F., Civardi G., Binelli F., Buscarini E., Buscarini L.: T-cell subsets defined by monoclonal antibodies in monoclonal gammopathy of undetermined significance (MGUS)

547 Cazzola M., Arosio P., Bellotti V., Bergamaschi G., Dezza L., Iacobello C., Ruggeri G., Zappone E., Albertini A., Ascari E.: Immunological reactivity of serum ferritin in patients with malignancy

555 Zaffaroni N., Silvestrini R., Sanfilippo O., Daidone M.G., Gasparini G.: In vitro activity of alkylating agents on human tumors as measured by a short-term antimetabolic assay

563 Jones G.R.N.: Cancer therapy: Phenothiazine in an unexpected role

571 Zucali R., Kenda R.: Tumorectomy plus radiotherapy in the management of breast cancer

575 Rapoport A., Kowalski L.P., de Andrade Sobrinho J., Fava A.S., Brasilino de Carvalho M.: Therapeutic association for nasopharyngeal cancer

581 Merlini G., Riccardi A., Riccardi P.G., Montecurro C.M., Pavesi F., Ascari E.: Peptichemio, vincristine, prednisone induction treatment in multiple myeloma

589 Piffanelli A., Pelizzola D., De Bortoli M., Agrimonti F., Frairia R., Giovannini G., Fumero S.: Quality assurance for steroid receptor assay in human breast cancer: Six years experience of the Italian Committee

597 Agrimonti F., Berruto G.P., Fornaro D., De Bortoli M., Fumero S., Frairia R., Pelizzola D., Giovannini G., Piffanelli A.: Quality control for estrogen and progesterone receptor assay in human breast cancer: The influence of computation methods on intra and interlaboratory variability

603 Candido A., Rossi P., Tartaglione R., Alfano G., Menichella G., Mango G.: Sequential therapy with lithium in chemotherapy-induced vomiting

609 Zambetti M., Bajetta E., Bidoli P., Verusio C.: Antiemetic activity of metoclopramide versus alizapride during cancer chemotherapy

615 Andreola S., Lombardi L., Scurelli A., Bersiga A.: Osteoclastoma-like giant-cell tumor of the liver. Case report